

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	14216	345/156-179.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:00
L3	6014	input near4 (electronic adj device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:00
L4	2601148	(sensor\$1 or detector)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:01
L5	0	(sensor\$1 or detector) with dimension and distinuish with (range near value\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:04
L7	57	distinguish with (range adj value\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:03
L8	30303	(sensor\$1 or detector) with dimension	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:03
L10	255	distinguish same (range adj value\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:06

## EAST Search History

L11	63163	(sensor\$1 or detector) with (gesture or trac\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:05
L12	1699	3 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:05
L13	3596	8 and 11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:05
L14	18	12 and 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:06
L15	0	10 and 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:06
L16	0	10 and 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:06
L17	31	12 and (range adj value\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:07

## EAST Search History

L18	0	14 and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:07
L19	7	2 and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:27
L20	14	2 and 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:11
L21	7291	dimension\$2 adj vector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:11
L22	143	trajectory adj region	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:18
L23	0	21 same 22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:12
L24	1	21 and 22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:16

## EAST Search History

L25	0	(input adj device) with (sensor\$1 or detector) with (gesture or trac\$3) with 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:18
L26	286	(input adj device) and (sensor\$1 or detector) and (gesture or trac\$3) and 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:18
L27	62	trajectory and 26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:18
L28	38578	(display adj control\$3) and circuit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:20
L29	1	27 and 28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:19
L30	1	(display adj control\$3) and 27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:20
L31	1134270	(control\$3 near3 circuit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:20

## EAST Search History

L32	27	27 and 31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:21
L33	1	345/168-173.ccls. and 32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:22
L34	10	"345"/\$.ccls. and 32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:22
L35	940	345/169.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:27
L36	5667375	gesture or trac\$3 or detect\$3 or sensor\$1 or trajectory or (three-dimensional adj vector) or vector adj region	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:31
L37	642	35 and 36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:31
L38	0	35 same 36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:32

## EAST Search History

L39	0	10 and 37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:32
L40	8	interpretive adj circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:32
L41	3717	interpretive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:33
L42	95	28 and 37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 14:34

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	38578	(display adj control\$3) and circuit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:29
L7	940	345/169.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:29
L8	5667375	gesture or trac\$3 or detect\$3 or sensor\$1 or trajectory or (three-dimensional adj vector) or vector adj region	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:29
L9	642	L7 and L8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:29
L10	0	(L6 and L9) and (z-dimension)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:29
L11	95	L6 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:31
L12	3	L6 and L9 and coordination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:30

## EAST Search History

L13	0	distinguish with (range adj vaule)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:32
L14	1151	detect\$3 with gesture	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:32
L15	2	input\$3 and (sens\$3 or detect\$3) with dimenion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:33
L16	24761	input\$3 and (sens\$3 or detect\$3) with dimension	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:33
L17	136	14 and 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:33
L18	3	11 and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:35
L19	3	11 and 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:35



## EAST Search History

L20	4	11 and 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 16:35
-----	---	-----------	----------------------------------------------------------------------------	----	----	------------------

## EAST Search History

L1	0	((input adj system) with (compact adj electronic adj device) and (primary adj sensor\$1) same (interpretive adj circuitry) same (display adj control adj circuitry) and (sensor\$1 adj digit) and (register\$1 adj value\$1) with (planar adj variable) with (digit adj modulab\$3) and (x-dimension) and (y-dimension) and (register\$1 adj value\$1) with (normal adj variable) with (digit adj modulable) and (z-dimension) with (normal adj plane) with (contact\$3 adj sensor\$1) same digit and (momentary adj input adj signal\$1) with (three adj dimensional adj vector adj region) with (input adj space) and (signal adj register\$3) with (interval adj time) with trajectory and (interpretive adj circuitry) same (distinguish adj ranges) with (normal adj variable) with (detect\$3 adj transition\$1) with ranges and (interpret adj transitions) with direction with (gesture adj termination adj signals) and (distinguish adj multiple adj target adj zones) with (input adj space) and (test adj indication adj value) with (substantial\$2 adj continuous adj basis) and (indication adj value) same (target adj zone) and (target adj indicated) with (contemporaneous adj input adj value) and (detection adj value) same (register adj value) and (transmit adj display adj control adj circuitry) and (maintain adj mapping identifying) with (target adj zones) and (detection adj gesture adj termination) with (registered adj indication adj value) with determine with (target adj zone) and (mapping adj determine) with (target adj zone) and (display adj control adj circuitry) and (generat\$3 adj image) with (array adj menu adj features) and (menu adj features) and (target adj zones) and (receipt adj signal) with (chang\$3 adj indication adj value) with (modify adj image) with (visually adj identifies) with (menu adj feature) with (indicated adj target	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/03 13:47
9/3/06 1:48:50 PM						Page 2